

## TL/10

Spectroscopic lamps



### Areas of application

- Optics, photophysics, spectroscopy
- Chemical engineering and medicine



# Product datasheet

## Technical data


### Product information

Order reference	TL/10 1A PICO
-----------------	---------------

### Electrical data

Lamp voltage	15 V
Nominal current	100 A
Type of current	AC
Nominal wattage	15.00 W

### Dimensions & weight



Filament length	7.00 mm
Filament diameter	3.0 mm

### Temperatures & operating conditions

Max. permitted ambient temp. pinch point	350 °C
------------------------------------------	--------

### Additional product data

Design / version	Thallium
Base (standard designation)	PICO9

### Country specific categorizations

Order reference	TL/10 1A PICO
-----------------	---------------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024

## Product datasheet

<b>Primary Article Identifier</b>	4050300211435
<b>Candidate List Substance 1</b>	Lead
<b>CAS No. of substance 1</b>	7439-92-1
<b>Safe Use Instruction</b>	The identification of the Candidate List substance is sufficient to allow safe use of the article.
<b>Declaration No. in SCIP database</b>	2a03b5da-2dfb-4db9-bb8c-43c2ef4e46e7

---

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300211435	OSRSPTL10	-	-	-
4050300750545	OSRSPTL10	-	-	-

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300211435	TL/10	Shipping carton box 1	167 mm x 64 mm x 66 mm	0.71 dm <sup>3</sup>	128.00 g
4050300750545	TL/10	Shipping carton box 10	- x - x -		

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.