

## 64504 150 W 230 V

Halogen lamps, medium/high voltage, single-ended




### Areas of application

- Professional film and TV work

### Product family features

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 2,900 K | 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)
- Color temperature: 3,400 K (for maximum luminous efficacy)



# Product datasheet

## Technical data

### Product information

Order reference	64504 A1/248 15
-----------------	-----------------


### Electrical data

Nominal wattage	150.00 W
Nominal voltage	230 V
On-mode power	155.00 W
Energy consumption in on-mode	155.0 kWh/1000h

### Photometrical data

Color temperature	3200 K
Color rendering index Ra	100
$\Phi_{use}$ value refers to luminous flux ..	360
Correlated color temperature CCT	3158 K
Useful luminous flux ( $\Phi_{use}$ )	3570 lm
Chromaticity coordinate x	0.426
Chromaticity coordinate y	0.401

### Dimensions & weight



Diameter	18.0 mm
Length	62.0 mm
Illuminated field	9.6*12.5 mm <sup>2</sup>

### Lifespan

Lifespan	25 h
----------	------

### Additional product data

## Product datasheet

Base (standard designation)	G6.35
Lighting technology used	HL

### Capabilities

Burning position	s90
------------------	-----

### Certificates & standards

Energy efficiency class	G
-------------------------	---

### Country specific categorizations

ANSI code	Other
LIF	A1/249
Order reference	64504 A1/248 15

### Logistical data

EAN 10 of contained light source	4052899101654
----------------------------------	---------------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	06-03-2024
Primary Article Identifier	4052899101654
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899101654	64504 150 W 230 V	Folding carton box 1	33 mm x 37 mm x 71 mm	0.09 dm <sup>3</sup>	14.00 g
4052899101661	64504 150 W 230 V	Shipping carton box 20	205 mm x 142 mm x 76 mm	2.21 dm <sup>3</sup>	335.00 g

---

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### References / Links

For further information on pinch technology, please refer to the following brochure:

“A whole lotta shakin’ goin’ on!” New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

---