

ULTRA LIFE H11

Longer life and 4 year guarantee



4 year OSRAM guarantee

For a worry-free driving pleasure. Refer to www.osram.com/am-guarantee for precise conditions



Extra lifetime

Up to four times longer lifetime compared to standard halogen lamps



More durability

For longer replacement cycles and additional reliability and comfort



The durable light with up to four times longer lifetime

OSRAM ULTRA LIFE automotive lamps are a favorite when it comes to durability. They have an impressive lifespan up to four times longer compared to standard halogen lamps and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). OSRAM provides a 4 year guarantee for the reliable ULTRA LIFE headlight lamps (www.osram.com/am-guarantee). In addition to this, ULTRA LIFE headlight lamps have a modern design with silver cap (H4/H7/H11). They are therefore ideal for frequent drivers or people who use daytime running lights, and can also be used in clear-glass headlights.

Product datasheet

Technical data

Product information

| | |
|---|------------------------|
| Order reference | 64211ULT |
| Application (Category and Product specific) | Halogen headlight lamp |

Electrical data


| | |
|-----------------|--------------------|
| Power input | 62 W ¹⁾ |
| Nominal voltage | 12.0 V |
| Nominal wattage | 55.00 W |
| Test voltage | 13.2 V |

¹⁾ Maximum

Photometrical data

| | |
|-------------------------|---------|
| Luminous flux | 1350 lm |
| Luminous flux tolerance | ±10 % |
| Color temperature | 3200 K |

Dimensions & weight



| | |
|----------------|---------|
| Diameter | 12.0 mm |
| Product weight | 22.56 g |
| Length | 67.0 mm |

Lifespan

| | |
|-------------|--------|
| Lifespan B3 | 1000 h |
| Lifespan Tc | 2000 h |

Additional product data

| | |
|-----------------------------|---------|
| Base (standard designation) | PGJ19-2 |
|-----------------------------|---------|

Product datasheet

Capabilities

| | |
|------------|-----|
| Technology | HAL |
|------------|-----|

Certificates & standards


| | |
|--------------|-----|
| ECE category | H11 |
|--------------|-----|

Country specific categorizations

| | |
|-----------------|----------|
| Order reference | 64211ULT |
|-----------------|----------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|---|
| Date of Declaration | 08-03-2024 |
| Primary Article Identifier | 4050300602387 4052899431164 4052899436114 4052899436138 4052899436510 4052899436190 4052899436473 4052899436176 4052899436275 4062172387736 4062172394635 4062172395267 |
| Candidate List Substance 1 | No declarable substances contained |
| Declaration No. in SCIP database | In work |



Others graphics

Logistical Data




| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4052899431164 | ULTRA LIFE H11 | Folding carton box 1 | 33 mm x 37 mm x 71 mm | 0.09 dm ³ | 29.00 g |
| 4052899431171 | ULTRA LIFE H11 | Bundle 10 | 185 mm x 66 mm x 71 mm | 0.87 dm ³ | 291.00 g |

Product datasheet

| | | | | | |
|---------------|----------------|----------------------------|-----------------------------|-----------------------|-----------|
| 4052899431188 | ULTRA LIFE H11 | Shipping carton box 100 | 341 mm x 191 mm x 154 mm | 10.03 dm ³ | 3101.00 g |
| 4052899436473 | ULTRA LIFE H11 | Blister 1 | 135 mm x 95 mm x 40 mm | 0.51 dm ³ | 34.00 g |
| 4052899436480 | ULTRA LIFE H11 | Shipping carton box 10 | 335 mm x 115 mm x 146 mm | 5.62 dm ³ | 440.00 g |
| 4052899436510 | ULTRA LIFE H11 | Hard Cover Box 2 | 114 mm x 48 mm x 106 mm | 0.58 dm ³ | 138.00 g |
| 4062172062114 | ULTRA LIFE H11 | Shipping carton box 10 | 268 mm x 126 mm x 125 mm | 4.22 dm ³ | 775.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

| File | |
|---|---|
|  | Brochures 724901_ULTRA LIFE Leaflet EN |
|  | Product movie 724899_ULTRA LIFE Trailer EN |
|  | 360 Degree Image ULTRA LIFE H11 64211ULT |

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM