

# ULTRA LIFE

Up to four times longer lifetime




**Extra lifetime**

Up to four times longer lifetime compared to standard auxiliary lamps



**More durability**

For longer replacement cycles and additional reliability and comfort



**Wide product range**

Fits for most common auxiliary lamp types



**The durable light with up to four times longer lifetime**

With ULTRA LIFE, you choose durable signal lamps for your car. The lamps provide a long life span - up to four times longer lifetime compared to standard lamps - and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). They are therefore ideal for frequent drivers.

## Product family datasheet

### Technical data

Product description	Product information	General Product Information	Electrical Data		
	Application (Category and Product specific)	Global order reference	Power input	Nominal voltage	Nominal wattage
ULTRA LIFE C5W	Auxiliary lamp	6418ULT	5 W	12.0 V	5 W
ULTRA LIFE H6W	Auxiliary lamp	64132ULT	7 W	12.0 V	6 W
ULTRA LIFE P21/5W	Auxiliary lamp	7528ULT	25 / 6 W	12.0 V	21/5 W
ULTRA LIFE P21W	Auxiliary lamp	7506ULT	25 W	12.0 V	21 W
ULTRA LIFE PY21W <sup>1)</sup>	Auxiliary lamp	7507ULT	25 W	12.0 V	21 W
ULTRA LIFE R10W	Auxiliary lamp	5008ULT	10 W	12.0 V	10 W
ULTRA LIFE R5W	Auxiliary lamp	5007ULT	5 W	12.0 V	5 W
ULTRA LIFE W5W	Auxiliary lamp	2825ULT	5 W	12.0 V	5 W
ULTRA LIFE HY21W	Auxiliary lamp	64137ULT	25 W <sup>3)</sup>	12.0 V	21 W

Product description	Test voltage	Photometric Data		Physical Attributes & Dimensions	Lifetime Data
		Nominal luminous flux	Luminous flux tolerance	Diameter	Lifespan B3
ULTRA LIFE C5W	13.5 V	45 lm	±20 %	11.0 mm	1500 hr
ULTRA LIFE H6W	13.5 V	125 lm	±12 %	9 mm	600 hr
ULTRA LIFE P21/5W	13.5 V	440/35 lm	±15 / ±20 %	25.0 mm	300 / 3000 hr <sup>2)</sup>
ULTRA LIFE P21W	13.5 V	460 lm	±15 %	25.0 mm	500 hr
ULTRA LIFE PY21W <sup>1)</sup>	13.5 V	280 lm	±20 %	25.0 mm	500 hr
ULTRA LIFE R10W	13.5 V	125 lm	±20 %	16.0 mm	600 hr
ULTRA LIFE R5W	13.5 V	50 lm	±20 %	16.0 mm	600 hr
ULTRA LIFE W5W	13.5 V	50 lm	±20 %	10.0 mm	700 hr
ULTRA LIFE HY21W	13.5 V	300 lm	±17 %	9 mm	400 hr

Product description	Lifespan Tc	Capabilities	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
		Technology	ECE category	Date of declaration	Primary article identifier
ULTRA LIFE C5W	4000 hr	AUX	C5W	22-09-2024	4008321415240   4062172394819   4008321415264   4008321413086   4052899419629
ULTRA LIFE H6W	1000 hr	AUX	H6W	22-09-2024	4052899494039   4052899419681   4008321415325   4008321413178   4062172394796

## Product family datasheet

Product description	Lifespan Tc	Capabilities	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
		Technology	ECE category	Date of declaration	Primary article identifier
ULTRA LIFE P21/5W	800 / 6000 hr <sup>2)</sup>	AUX	P21/5W	22-09-2024	4008321415288   4062172394895   4008321413116   4008321415301
ULTRA LIFE P21W	1000 hr	AUX	P21W	22-09-2024	4008321415141   4062172394833   4008321415349
ULTRA LIFE PY21W <sup>1)</sup>	1000 hr	AUX	PY21W	22-09-2024	4008321415165   4062172394871   4008321413147
ULTRA LIFE R10W	1200 hr	AUX	R10W	22-09-2024	4062172394918   4008321415226   4008321416568   4008321415400
ULTRA LIFE R5W	1200 hr	AUX	R5W	22-09-2024	4008321415370   4008321416537   4008321415202   4062172394772
ULTRA LIFE W5W	1500 hr	AUX	W5W	22-09-2024	4062172394734   4008321413024   4008321415189
ULTRA LIFE HY21W	700 hr	AUX	HY21W	22-09-2024	4052899910256   4052899910744

Product description	Candidate list substance 1	Declaration no. in SCIP database
ULTRA LIFE C5W	No declarable substances contained	In work
ULTRA LIFE H6W	No declarable substances contained	In work
ULTRA LIFE P21/5W	No declarable substances contained	In work
ULTRA LIFE P21W	No declarable substances contained	In work
ULTRA LIFE PY21W <sup>1)</sup>	No declarable substances contained	In work
ULTRA LIFE R10W	No declarable substances contained	In work
ULTRA LIFE R5W	No declarable substances contained	In work
ULTRA LIFE W5W	No declarable substances contained	In work
ULTRA LIFE HY21W	No declarable substances contained	In work

<sup>1)</sup> Amber lamp for clear indicators







<sup>2)</sup> Filament 1

## Product family datasheet

<sup>3)</sup> Maximum

## Product family datasheet

### Download Data

File	
	ref_pim_amsproduct360degreeimages ULTRA LIFE C5W 6418ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE P21W 7506ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE PY21W 7507ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE R10W 5008ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE R5W 5007ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE W5W 2825ULT

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

