

# Lamps with glass wedge bases -

Original spare part



## The cost-effective original spare parts

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Discover these reliable lamps and OSRAM's proven high quality.

# Product datasheet

## Technical data

### Product information

Order reference	2820
Application (Category and Product specific)	Auxiliary lamp


### Electrical data

Power input	2.2 W
Nominal voltage	12.0 V
Nominal wattage	2.00 W
Test voltage	13.5 V
Power input tolerance	±10 %

### Photometrical data

Luminous flux	13.5 lm
Luminous flux tolerance	±25 %

### Dimensions & weight



Diameter	10.0 mm
Product weight	1.36 g
Length	26.8 mm

### Lifespan

Lifespan B3	600 h
Lifespan Tc	4000 h

### Additional product data

Base (standard designation)	W2.1x9.5d
-----------------------------	-----------

## Product datasheet

### Capabilities

Technology	AUX
------------	-----

### Certificates & standards

ECE category	-
--------------	---

### Country specific categorizations

Order reference	2820
-----------------	------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	21-06-2024
Primary Article Identifier	4050300888156   4008321094094   4052899560673   4052899560741   4050300888125
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

### Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4008321094094	OSRA2820	-	4739280	-
4008321094100	OSRA2820	-	4739280	-
4008321094094	OSRA2820	-	4739280	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094094	ORIGINAL - WEDGE BASE 2820	Unpacked 1	- x - x -		
4008321094100	ORIGINAL - WEDGE BASE 2820	Folding carton box 10	46 mm x 29 mm x 112 mm	0.15 dm <sup>3</sup>	24.60 g
4008321094117	ORIGINAL - WEDGE BASE 2820	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm <sup>3</sup>	152.50 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM