

ORIGINAL MINIXEN -

Original spare part



The cost-effective original spare parts

ORIGINAL MINIXEN signal lamps for cars can be used for interior lighting as well as reading lights. Discover these original spare parts from OSRAM with reliable OEM quality and a wide product range.

Product datasheet

Technical data

Product information

| | |
|---|----------------|
| Order reference | 3886X |
| Application (Category and Product specific) | Auxiliary lamp |

Electrical data

| | |
|-----------------------|--------|
| Power input | 6 W |
| Nominal voltage | 12.0 V |
| Nominal wattage | 6.00 W |
| Power input tolerance | ±10 % |
| Test voltage | 13.5 V |

Photometrical data

| | |
|-------------------------|-------|
| Luminous flux | 80 lm |
| Luminous flux tolerance | ±20 % |

Dimensions & weight

| | |
|----------------|---------|
| Length | 27.4 mm |
| Diameter | 9 mm |
| Product weight | 1.96 g |

Lifespan

| | |
|-------------|--------|
| Lifespan B3 | 400 h |
| Lifespan Tc | 1000 h |

Additional product data

| | |
|-----------------------------|------|
| Base (standard designation) | BA9s |
|-----------------------------|------|

Capabilities

| | |
|------------|-----|
| Technology | AUX |
|------------|-----|

Certificates & standards

| | |
|--------------|---|
| ECE category | - |
|--------------|---|

Country specific categorizations

| | |
|-----------------|-------|
| Order reference | 3886X |
|-----------------|-------|

Environmental information

Product datasheet

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)

| | |
|----------------------------------|------------------------------------|
| Date of Declaration | 05-03-2024 |
| Primary Article Identifier | 4050300885896 4008321095787 |
| Candidate List Substance 1 | No declarable substances contained |
| Declaration No. in SCIP database | In work |

Country specific information

| Product code | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4008321095787 | OSRA3886X | - | - | - |
| 4008321095794 | OSRA3886X | - | - | - |
| 4008321095787 | OSRA3886X | - | - | - |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|------------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4008321095787 | ORIGINAL MINIXEN 3886X | Unpacked 1 | - x - x - | | |
| 4008321095794 | ORIGINAL MINIXEN 3886X | Folding carton box 10 | 46 mm x 29 mm x 112 mm | 0.15 dm ³ | 31.00 g |
| 4008321095800 | ORIGINAL MINIXEN 3886X | Shipping carton box 50 | 148 mm x 115 mm x 55 mm | 0.94 dm ³ | 183.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM