

# ORIGINAL MINIXEN

Original spare part



## The cost-effective original spare parts

ORIGINAL MINIXEN signal lamps for cars can be used for interior lighting as well as reading lights. Discover these original spare parts from OSRAM with reliable OEM quality and a wide product range.



Product family datasheet

Technical data

|                        | Product information                         | General Product Information | Electrical Data |                 |                 |
|------------------------|---|-----------------------------|-----------------|-----------------|-----------------|
| Product description    | Application (Category and Product specific) | Global order reference      | Power input     | Nominal voltage | Nominal wattage |
| ORIGINAL MINIXEN 2886X | Auxiliary lamp                              | 2886X                       | 6 W             | 12 V            | 6 W             |
| ORIGINAL MINIXEN 3886X | Auxiliary lamp                              | 3886X                       | 6 W             | 12 V            | 6 W             |

|                        |                       |              | Photometric Data      | Physical Attributes & Dimensions |         |
|------------------------|-----------------------|--------------|-----------------------|----------------------------------|---------|
| Product description    | Power input tolerance | Test voltage | Nominal luminous flux | Lamp base                        | Length  |
| ORIGINAL MINIXEN 2886X | ±10 %                 | 13.5 V       | 85 lm                 | W2.1x9.5d                        | 26.8 mm |
| ORIGINAL MINIXEN 3886X | ±10 %                 | 13.5 V       | 80 lm                 | BA9s                             | 27.4 mm |

|                        |          |          | Lifetime Data | Capabilities |            |
|------------------------|----------|----------|---------------|--------------|------------|
| Product description    | Diameter | Diameter | Lifespan B3   | Lifespan Tc  | Technology |
| ORIGINAL MINIXEN 2886X | 10.0 mm  | 10.0 mm  | 400 hr        | 1000 hr      | AUX        |
| ORIGINAL MINIXEN 3886X | 9 mm     | 9 mm     | 400 hr        | 1000 hr      | AUX        |

|                        | Certificates & standards | Environmental & Regulatory Information<br>Information according Art. 33 of EU Regulation (EC) 1907/2006 (RECh) |                                    |                                    |  |
|------------------------|--------------------------|--|------------------------------------|------------------------------------|--|
| Product description    | ECE category             | Primary article identifier   | Candidate list substance 1         | Declaration no. in SCIP database   |  |
| ORIGINAL MINIXEN 2886X | -                        | 4050300888668   4052899560604   4008321094667  | No declarable substances contained | No declarable substances contained |  |
| ORIGINAL MINIXEN 3886X | -                        | 4050300885896   4008321095787  | No declarable substances contained | No declarable substances contained |  |

Download Data

| File  |  |
|---|--|
|  | User instruction<br>GPRS_Safety symbols instructions |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

