

ORIGINAL - METAL BASE H21W

Original spare part



The cost-effective original spare parts for motorcycles

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for motorcycle lamps. Due to the wide product range, the lamps can be used for different applications. Use these lamps for example as position and parking lights or for number plate and side position lights of your motorcycle.

Product datasheet

Technical data

Product information

| | |
|---|----------------|
| Order reference | 64136 |
| Application (Category and Product specific) | Auxiliary lamp |


Electrical data

| | |
|-----------------------|---------|
| Power input | 25 W |
| Nominal voltage | 12.0 V |
| Nominal wattage | 21.00 W |
| Power input tolerance | ±5 % |
| Test voltage | 13.5 V |

Photometrical data

| | |
|-------------------------|--------|
| Luminous flux | 600 lm |
| Luminous flux tolerance | ±12 % |

Dimensions & weight



| | |
|----------------|---------|
| Length | 38.9 mm |
| Diameter | 9 mm |
| Product weight | 2.68 g |

Lifespan

| | |
|-------------|-------|
| Lifespan B3 | 240 h |
| Lifespan Tc | 480 h |

Additional product data

| | |
|-----------------------------|-------|
| Base (standard designation) | BAY9s |
|-----------------------------|-------|

Product datasheet

Capabilities

| | |
|------------|-----|
| Technology | AUX |
|------------|-----|

Certificates & standards

| | |
|--------------|------|
| ECE category | H21W |
|--------------|------|

Country specific categorizations

| | |
|-----------------|-------|
| Order reference | 64136 |
|-----------------|-------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|---|
| Date of Declaration | 05-03-2024 |
| Primary Article Identifier | 4050300883335 4008321095190 4008321379320 4008321379382 4062172251631 4062172262316 4052899488427 4062172262347 |
| Candidate List Substance 1 | No declarable substances contained |
| Declaration No. in SCIP database | In work |

Country specific information

| Product code | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4008321095190 | OSRA64136 | - | - | - |
| 4008321095206 | OSRA64136 | - | - | - |
| 4008321095190 | OSRA64136 | - | - | - |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|----------------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4008321095190 | ORIGINAL - METAL BASE H21W | Unpacked 1 | - x - x - | | |
| 4008321095206 | ORIGINAL - METAL BASE H21W | Folding carton box 10 | - x - x - | | |
| 4008321095213 | ORIGINAL - METAL BASE H21W | Shipping carton box 50 | 205 mm x 144 mm x 64 mm | 1.89 dm ³ | 249.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

Product datasheet

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM