



# ONYX COPILOT

Flexible LED reading light



**20 lm**

Pleasantly warm and glare-free light



**37 cm**

370 mm neck length powered via cigarette lighter or with a plastic base for fixed connection



**12 V + 24 V**

The stylish light is suitable for both passenger cars (12 volt) and trucks (24 volt)



### Precisely illuminating vehicle interiors

With its elegant and dynamic design, the ONYX COPILOT LED reading light achieves seamless integration into vehicle interiors. With its high flexibility, the reading light has a wide range of options for illuminating specific areas of the vehicle interior. The neck of the light is made of matt black silicon rubber and can be individually adjusted. The LED lifetime of ONYX COPILOT is extremely long: up to 20,000 hours! The Luminaire can be switched on/off and remain connected permanently. OSRAM provides a 2 year guarantee for this stylish light.

## Product family datasheet

### Technical data

Product description	Product information	General Product Information	Electrical Data	
	Application (Category and Product specific)	Global order reference	Nominal voltage	Nominal wattage
ONYX COPILOT M+7	Flexible LED reading light	ONYX M+7	12/24 V	0 W
ONYX COPILOT	Flexible LED reading light	ONYXCOPILLOT L+7	12/24 V	

Product description	Photometric Data			Physical Attributes & Dimensions
	Light color LED	Nominal luminous flux	Color temperature	Height
ONYX COPILOT M+7	Warm white	20 lm	3200 K	473.0 mm
ONYX COPILOT		20 lm	3200 K	

Product description	Width	Length	Product weight	Colors & materials
				Base color
ONYX COPILOT M+7	24.0 mm	25.4 mm	84.00 g	Black
ONYX COPILOT			72.00 g	Black

Product description	Lifetime Data	Capabilities	Certificates & standards	
	Guarantee	Technology	Type of protection	Standards
ONYX COPILOT M+7	3 years	LED	IP20	CE
ONYX COPILOT		LED		CE



Product description	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
	Declaration no. in SCIP database	Primary article identifier	Candidate list substance 1	CAS No. of substance 1
ONYX COPILOT M+7	In work			
ONYX COPILOT	abeee974-0574-456e-82ec-afd9be936f89	4052899414938	Lead	7439-92-1

Product description	Safe use instruction
ONYX COPILOT M+7	
ONYX COPILOT	The identification of the Candidate List substance is sufficient to allow safe use of the article.

## Product family datasheet

---

### Download Data

File	
	User instruction UI LED ONYX COPILOT L
	User instruction LED ONYX COPILOT L

#### References / Links

Guarantee terms are available at [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.