

CYX 2000W 120V 6/CS 1/SKU



Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift

Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

Product datasheet

Technical data

General product information

Product Number	54613
Product Name	CYX 2000W 120V 6/CS 1/SKU
Application	Stage & Studio
Product Remark	- s (Operating Position) = Vertical, base down

Electrical data

Nominal Wattage	2000 W
Nominal Voltage	120 V
Type of Current	AC

Light technical data

Luminous Flux	55000 lm
Light Center Length - LCL (in)	4.953 in
Light Center Length - LCL (mm)	127 mm
Color Temperature	3200 K
Color Rendering Index	100
Average Rated Life	300 h

Physical attributes

Base	G38
Bulb Shape	T35
Maximum Overall Length (in)	7.913 in
Maximum Overall Length (mm)	201 mm
Length l (in)	7.913 in
Length l (mm)	201 mm
Length l max. (in)	7.913 in
Length l max. (mm)	201 mm
Diameter d (in)	1.339 in
Diameter d (mm)	34.00 mm
Distance a (in)	4.953 in
Distance a (mm)	127 mm
Filament	C-13
Filament Dimensions Length (in)	0.7480 in
Filament Dimensions Length (mm)	19 mm
Filament Dimensions Width (in)	0.787 in
Filament Dimensions Width (mm)	20 mm

Product datasheet

Additional product data

Operating Position	s 90
Lamp Type	SINGLE END

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54613	4008321483263	Folding box (SKU)	1		
54613	4062172061803	Shipping box (Case)	6	11.1 in x 10.5 in x 8 in	6 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.