

# 93734 CP77 FEP 1000W 240V 12/CS 1/SKU



#### Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable to 0% with traditional amber shift

### Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

# Product datasheet

#### Technical data

### **General product information**

Product Number	54515	
Product Name 93734 CP77 FEP 1000W 240V 12/CS 1/SKU		
Application Stage & Studio		
LIF Code	CP/77	

### Electrical data

Nominal Wattage	1000 W
Nominal Voltage	240 V
Type of Current	AC

# Light technical data

Luminous Flux	23000 lm
Light Center Length - LCL (in)	2.352 in
Light Center Length - LCL (mm)	60.3 mm
Color Temperature	3200 K
Color Rendering Index	100
Average Rated Life	150 h

# Physical attributes

Base	G9.5 MEDIUM BIPIN		
Bulb Shape	T6		
Maximum Overall Length (in)	3.978 in		
Maximum Overall Length (mm)	102 mm		
Length I (in)	3.978 in		
Length I (mm)	102 mm		
Length l max. (in)	3.978 in		
Length l max. (mm)	102 mm		
Diameter d (in)	0.787 in		
Diameter d (mm)	20.00 mm		
Distance a (in)	2.352 in		
Distance a (mm)	60.3 mm		
Filament	CC-8		
Filament Dimensions Length (in)	1.0530 in		
Filament Dimensions Length (mm)	27 mm		
Filament Dimensions Width (in)	0.222 in		
Filament Dimensions Width (mm)	5.7 mm		

### Product datasheet

### Additional product data

Operating Position	Any	
Lamp Type	SINGLE END	

### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54515	4050300350073	Folding box (SKU)	1		
54515	4050300350080	Shipping box (Case)	12	7 in x 5.9 in x 5.5 in	1.5 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.