

## ECR 64815 CP/83 230V 6/CS 1/SKU



### Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable to 0% with traditional amber shift

### Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

# Product datasheet

## Technical data

### General product information

Product Number	54702
Product Name	ECR 64815 CP/83 230V 6/CS 1/SKU
Application	Stage & Studio
LIF Code	CP/83
Product Remark	- s (Operating Position) = Vertical, base down

### Electrical data

Nominal Wattage	10000 W
Nominal Voltage	230 V
Type of Current	AC

### Light technical data

Luminous Flux	280000 lm
Light Center Length - LCL (in)	10 in
Light Center Length - LCL (mm)	254 mm
Color Temperature	3200 K
Color Rendering Index	100
Average Rated Life	400 h

### Physical attributes

Base	G38
Bulb Shape	T22
Maximum Overall Length (in)	14.96 in
Maximum Overall Length (mm)	380 mm
Length l (in)	14.96 in
Length l (mm)	380 mm
Length l max. (in)	14.96 in
Length l max. (mm)	380 mm
Diameter d (in)	2.756 in
Diameter d (mm)	70.00 mm
Distance a (in)	10.000 in
Distance a (mm)	254 mm
Filament Dimensions Length (in)	1.6140 in
Filament Dimensions Length (mm)	41 mm
Filament Dimensions Width (in)	2.047 in
Filament Dimensions Width (mm)	52 mm

## Product datasheet

### Additional product data

Operating Position	s 45
Lamp Type	SINGLE END

### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54702	4050300780696	Folding box (SKU)	1		
54702	4050300780702	Shipping box (Case)	6	17.4 in x 11.9 in x 19 in	11.2 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.