

## 64680 A1244 500W 230V 12/CS 1/SKU



### Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable to 0% with traditional amber shift

### Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

## Product datasheet

### Technical data

#### General product information

Product Number	54965
Product Name	64680 A1244 500W 230V 12/CS 1/SKU

#### Electrical data

Nominal Wattage	500 W
Nominal Voltage	230 V

#### Light technical data


Luminous Flux	14500 lm
Light Center Length - LCL (mm)	36.5 mm
Color Temperature	3200 K
Color Rendering Index	100
Average Rated Life	50 h

#### Physical attributes

Base	GY9.5
Bulb Shape	T22
Diameter d (in)	0.830 in
Diameter d (mm)	21.08 mm

#### Additional product data

Operating Position	ANY
Lamp Type	SINGLE END



### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54965	4008321098573	Folding box (SKU)	1	1.7 in x 1.7 in x 4.4 in	0.1 lb

## Product datasheet

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions L x w x h	Gross weight
54965	4008321098580	Shipping box (Case)	12	7.1 in x 5.5 in x 5 in	1 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.