

# XBO 6000W/HPN OFR 1/CS 1/SKU



#### Product features and benefits

- Extremely high luminance for digital cinema projection
- Color temperature approximately 6000K simulates daylight
- Continuous spectrum in the visible range
- High color rendering > 95
- High arc stability
- DC operation
- Hot restart

#### Areas of application

- Digital Projection
- Film Projection
- Spotlights
- Searchlights
- Solar Simulation

# Product datasheet

#### Technical data

## **General product information**

Product Number	69123			
Product Name	XBO 6000W/HPN OFR 1/CS 1/SKU			
Family Brand Name	XBO			
Application	Digital Cinema Projection			
Product Remark	<ul> <li>s (Operating Position) = Vertical, base down</li> <li>p (Operating Position) = Horizontal</li> <li>This lamp has positive pressure even when cold. Please read safety/warning instructions before using this lamp.</li> </ul>			

#### **Electrical data**

Nominal Wattage	6000 W		
Nominal Voltage	37.5 V		
Current (A)	165 A		
Current Control Range (A)	135-167 A		
Type of Current	DC		

## Light technical data

Light Center Length - LCL (mm)	171.5 mm
Average Rated Life	650 h
Warranty Hours (hr)	650 hrs
Service Warranty Lifetime (hr)	800 hrs

# Physical attributes

Base Anode	SFaX30-9.5	
Base Cathode	SFa30-20	
Bulb Shape	T78	
Maximum Overall Length (mm)	428 mm	
Electrode Gap - cold (mm)	7.5 mm	

## Additional product data

Operating Position	s15 p15
Maximum Base Temperature (°C)	230 C
Cooling	Required

#### Packaging Information

#### Product datasheet

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
69123	4062172030649	Shipping box (Case)	1	23.2 in x 9.2 in x 9.2 in	4.8 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.