

# ONYX COPILOT USB

Flexible LED reading light



20 lm

Pleasantly warm and glare-free light



37 cm

370 mm neck length powered via USB



Multifunctional use

This stylish reading light is suitable for all vehicles with USB connection



## Precisely illuminating vehicle interiors

With its elegant and dynamic design, the ONYX COPILOT LED reading light achieves seamless integration into vehicle interiors. With its high flexibility, the reading light has a wide range of options for illuminating specific areas of the vehicle interior. The neck of the light is made of matt black silicon rubber and can be individually adjusted. The LED lifetime of ONYX COPILOT is extremely long: up to 20,000 hours! The Luminaire can be switched on/off and remain connected permanently. OSRAM provides a 2 year guarantee for this stylish light.

Product family datasheet

Technical data

| Product description | Product information                         | General Product Information | Photometric Data |                       |
|---------------------|---|-----------------------------|------------------|-----------------------|
|                     | Application (Category and Product specific) | Global order reference      | Light color LED  | Nominal luminous flux |
| ONYX COPILOT        | Flexible LED reading light                  | ONYX COPILOT USB            | Warm white       | 20 lm                 |

| Product description | Physical Attributes & Dimensions |        |         |          |
|---------------------|----------------------------------|--------|---------|----------|
|                     | Color temperature                | Height | Width   | Length   |
| ONYX COPILOT        | 3200 K                           | 9.5 mm | 25.0 mm | 394.0 mm |

| Product description | Product weight | Colors & materials | Lifetime Data | Capabilities      |
|---------------------|----------------|--------------------|---------------|-------------------|
|                     |                | Base color         | Guarantee     | Technology        |
| ONYX COPILOT        | 58.00 g        | Black              | 2 years       | LED <sup>1)</sup> |

| Product description | Certificates & standards |           | Environmental & Regulatory Information<br>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                            |
|---------------------|--------------------------|-----------|---|----------------------------|
|                     | Type of protection       | Standards | Primary article identifier  | Candidate list substance 1 |
| ONYX COPILOT        | IP20                     | CE        | 4052899601000   | Lead                       |

| Product description | CAS No. of substance 1 | Safe use instruction   | Declaration no. in SCIP database     |
|---------------------|------------------------|--|--------------------------------------|
| ONYX COPILOT        | 7439-92-1              | The identification of the Candidate List substance is sufficient to allow safe use of the article. | cfe381e9-de61-47be-8ff4-79f99a462d05 |

<sup>1)</sup> Light-emitting diode application

Download Data

| File  |   |
|---|---|
|  | User instruction<br>LED ONYX COPILOT USB              |
|  | User instruction<br>GPRS_Safety symbols instructions  |
|  | ref_pim_amsproduct360degreeimages<br>ONYX Copilot USB |

References / Links

Guarantee terms are available at [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.