


Lok-it! HSD

Short Arc Metal Halide lamps




Areas of application

- Entertainment
- Archtainment



330962_Lok-it! HSD 300W80P28



Product family datasheet

Technical data

Product description	Electrical data	Photometrical data		Dimensions & weight			Lifespan
	Nominal voltage	Nominal luminous flux	Color temperature	Diameter	Length	Light center length (LCL)	Lifespan
Lok-it! HSD 300 W/80/P28	95.0 V	20500 lm	8700 K	23.0 mm	122.3 mm	67.0 mm	2000 h

Product description	Capabilities	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	Burning position	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
Lok-it! HSD 300 W/80/P28	Other	05-03-2024	4008321493989 4008321644831	No declarable substances contained

Product description	Declaration No. in SCIP database
Lok-it! HSD 300 W/80/P28	No declarable substances contained

Product family datasheet

Safety advice

Because of their high luminance, UV radiation and high internal pressure during operation, Lok-it! lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Appropriate filters must ensure that UV radiation is reduced to an acceptable level. Mercury is released if the lamp breaks. Special safety precautions must be taken. Information on safety and handling is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.