

# LEDriving SL C5W 6438 WHITE

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications

Available in Cool White



**Replaces conventional C5W lamps** 

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements

4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



# Suitable LED replacement for C5W

LEDriving SL C5W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional C5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# Product family datasheet

# Technical data

**Product description** 

	Product information		Genera Informa	l Product ation	Electrical D	ata
Product description	Application (Category and Product specific)	Product type (off- road vs. on-road)	Global referen		Power input	Nominal voltage
LEDriving SL ≜ C5W	Mainly used for number plate/ interior applications	Off-road ≙ C5W	6438D\	WP	1.2 W	12 V
			Photometric Data			Physical Attributes & Dimensions
Product description	Nominal wattage	Test voltage	Nominal flux	luminous	Luminous flux tolerance	Diameter
Product description  LEDriving SL	Nominal wattage			luminous	flux	Diameter 11.0 mm

Lifespan

2500 hr

Lifespan

5000 hr

Tc

Technology

LED 1)

Primary article identifier

4062172150637 | 4062172054089 | 4062172401135

Diameter

11.0 mm

Product description	Candidate list substance 1	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
LEDriving SL ≜ C5W	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	4b43d1a0-41e5- 49a8-b038- 95b9cc5bb50c   a14494ba-4175- 4df1-b1fa- 3f0a27774037   9ddf0b2d-007f-4334- a770-e1139745e9b7   7cd36b52-8613- 4f3d-b8bb-
				13d523df7cad   af0c8a57-0ad5-4d83- a001-3b9565b947c6   5dbadd0f-f4a4- 43b0-958e- 9dcdea08ef9f   57f5e426-c401- 4083-ba23- b642fa3bb8d1

# Product family datasheet

1) Light-emitting diode lamp

# Product family datasheet

#### Download Data

#### File



User instruction

GPRS\_Safety symbols instructions



**Brochures** 

LEDriving Retrofits - Exchange overview (EN)

# Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

# Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# **Application advice**

For more detailed application information and graphics please see product datasheet.

# **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.