OSRAM

LEDinspect UTILITY1000

Inspectionlights





Multi-Functional Lamp

High flexibility and diverse adjustment possibilities. Up to 180° ratcheting bases and up to 360° rotating body.



1000 lm

2 light functions: Up to 1000lm-high Up to 400lmlow For individually adjustable light settings



Magnetic Base & Rotatable Hook Versatile mounting options



2-year-OSRAM guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

Light is versatile

Designed with versatility in mind, the UTILITY 1000 combines magnetic, 180° ratcheting base with a 360° rotating body. This means the inspectionlight can be used either freestanding or hands-free, positioned in any number of ways to ensure the work area is properly illuminated. With two light functions - high with up to 1000lm and low with up to 400lm - it produces a light output that can be matched to the task at hand.

This inspection light is ideal as a light for manual work, car repairs and everyday use. OSRAM also provides a 2-year guarantee on this product* Charging cable and mains



charger included.

Technical data

	Product information Application (Category and Product specific)		General Product Information Global order reference		Electrical Data Nominal voltage		Nominal wattage
Product description							
INSPECTION LAMP	LED inspectio	on lights	LEDIL407		7.4 V		19 W
	Photometric I	Data				Physic Dimen	al Attributes & sions
Product description	Light color LED	J		al luminous Color te		Height	
INSPECTION LAMP	White	White 1000 lm 6500 K		(48.0 mm		
							LED module information
Product description	Width	Width		Length		t	Number of LEDs per module
INSPECTION LAMP	41.0 mm		500.0 mm		490.00 g		1
	Colors & materials		Lifetime Data	Additional product data			
Product description	Base color	Base color				Number of included batteries	
INSPECTION LAMP	Black / Orang	e	2 years	Yes		1	
			Capabilities	Certificates & standards		Logistical data	
Product description	Type of Batte	ry	Technology	IK Clas	s	Watt hour per battery	
INSPECTION LAMP	Rechargeable	2	LED	IK07		9.62	
		-	latory Informat Art. 33 of EU Re		(EC) 1907/2006	(REACh)	
Product description	Candidate list substance 1	Candidate list substance 1		CAS No. of substance 1		uction	Declaration no. in SCIP database
INSPECTION LAMP	Lead	Lead		7439-92-1		tion of List llow	12140b2a-ec70- 4b9c-9c15- 9b33a359d5fe

Download Data

	File
7	User instruction LEDinspect UTILITY 1000 LEDIL407
₹	User instruction GPRS_Safety symbols instructions

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.