# **OSRAM**

## BATTERYcharge 7PIN | 1PHASE | 32 AMP

Charging Cable for electric and plug-in hybrid vehicles



Type 2 to Type 2

Charge at home and on the moveType 2 to Type 25PIN | 1PHASE



32 Ampere

Connects to any charging unit or station with a 32A (1 Phase) type 2 connection



7.2 kWh

Charge your 60kW battery in ca. 8 hours



5m cable length

Ergonomic handles for optimal handling and a cable length of 5 meters



#### Drive with OSRAM into a more emission-free future

Discover the world of electric driving with OSRAM. Charge your fully electric or plug in hybrid type 2 vehicle from any 32A (1 phase) charging unit or station fitted with a type 2 connection point. The charging cable is equipped with ergonomic handles for optimal handling and has a cable length of 5 meters. It is suitable for use at public charging stations and at home. In addition, the charging cables are equipped with dust protection caps and tested for water resistance according to IP65 and shock resistance according to IK10. Even when connected, the electrical contact points are protected against the ingress of dust and splash water in accordance with IP65 and IK10. The scope of delivery also includes a durable, compact storage bag to neatly store the cable after charging. In addition, the product is TÜV and CE certified and comes with a 2-year guarantee\*

### Product family datasheet

#### Technical data

|  | Product information              | General Product  | Electrical Data                    |                                    |
|--|----------------------------------|--|------------------------------------|------------------------------------|
| Product description                      | Number Of Phases                 | Global order reference   | Nominal wattage                    | Nominal voltage                    |
| BATTERY charge 7PIN   1PHASE   32<br>AMP | 1                                | OCC23205   | 7200 W                             | 240 V                              |
|  | Physical Attributes & Dimensions |  |                                    | Lifetime<br>Data                   |
| Product description                      | Length                           | Width  | Height                             | Guarantee                          |
| BATTERY charge 7PIN   1PHASE   32<br>AMP | 5000 mm                          | 70.0 mm  | 120.0 mm                           | 2 years                            |
|  | Certificates & standards         | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) |                                    |                                    |
| Product description                      | IK Class                         | Primary article identifier   | Candidate list substance 1         | Declaration no. in SCIP database   |
| BATTERY charge 7PIN   1PHASE   32<br>AMP | IK10                             | 4052899624122  | No declarable substances contained | No declarable substances contained |

### Product family datasheet

#### Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.\*for precise conditions please refer to:

www.osram.com/am-guarantee

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.