OSRAM

NIGHT BREAKER H4-LED

OSRAM's first street-legal LED replacement lamp





OSRAM's first H4 street-legal LED replacement lamp 1)

See and be seen more clearly, for more safety on the road, especially at night



Up to 230% more brightness 2)

Cool White LED-Upgrade with color temperature close to daylight for specific car models



Up to 5 times more lifetime 3)

Environmentally friendly through longer durability and less garage shop visits and reduced energy



First NIGHT BREAKER LED H4-LED

With NIGHT BREAKER H4-LED, OSRAM's first street legal1) LED replacement lamp is now on the market. The plug-and-play solution offers drivers significant advantages: very high cool white color temperature of 6,000 Kelvin with up to 230% more brightness compared to the minimum requirements of ECE R112, up to 5 times longer lifespan compared to halogen lamps and an additional 50% less glare.

Product family datasheet

Technical data

	Product in	formation						
Product description	Product le	Product legal advice 1		advice Prod	luct legal advice		Application (Category and Product specific)	
NIGHT BREAKER H4 LED	light sourd applies to respective in which the approval of approval approval approval and light the vehicl and light compatibitions are detailed.	1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb-		2 3 2) Compared to 3) Cominimum ECE R112. Con top with 50% less glare.		High and I	and low beam	
		General Product Information		a				
Product description	Global ord reference	Global order reference		age Nom	inal wattage	Power input toleranc e	Test voltage	
NIGHT BREAKER H4 LED	64193DW	NB	12.0 V	27 V	/	±15 %	13.2 V	
		Photometr	ic Data					
Product description	Power input	Light color	Luminous flux tolerance	Nominal lu flux	uminous C	olor temperatu	ire	
NIGHT BREAKER H4 LED	27/23 W	Cool white	±15 %	1650/1000	Olm 6	000 K		
	Physical A	attributes &	Dimensions					
Product description	Diameter			Lamp base Length		Product weight		
NIGHT BREAKER H4 LED	18.5 mm	18.5 mm		87.4	mm	80.00 g		
	Lifetime C	Lifetime Data		ilities Certificates & standards		Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Product description	Lifespan Tc	Lifespan B3	Technology	Standards	Prima	ry article ifier		
NIGHT BREAKER H4 LED	2500 hr	1500 hr	LED	ABG	40621	172314206 172284691		

Product family datasheet

Product description	Candidate list substance 1	CAS No. of substance	Safe use instruction	Declaration no. in SCIP database
NIGHT BREAKER H4 LED	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	8e9ff543-2e16-4737- 9ad4-29f7f4cbe8a3

Product family datasheet

Download Data

	File
<u>Z</u>	User instruction NIGHT BREAKER LED
7	Brochures LEDriving Retrofits - Exchange overview (EN)
B	ref_pim_amsp_product360degreeimages NIGHT BREAKER LED H4-LED 64193DWNB-2HFB

Legal advice

1) Approved H4-LED headlamp. Only applies to the respective countries in which there is approval and the vehicle models and light functions currently listed in the compatibility list. For exact conditions see www.osram.com/nb-led2) compared to minimum ECE R112. On top with 50% less glare.3) compared to halogen lamps

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

