

# BATTERYtest PRO Battery Analyser



## Developed by professionals – Made for professionals

The OSRAM BATTERYtest PRO Battery Analyser can carry out a complete functional test of the battery and the electrical systems in 12V and 24V vehicles such as motorbikes, cars and trucks. By checking the battery, alternator, starter and earthing, it also provides a comprehensive overview of the condition of a vehicle's starter and charging system. The results can be printed out via the built-in thermal printer or transferred to a computer via an SD card.

## Product family datasheet

### Technical data

	Product information	General Product Information	Electrical Data	Physical Attributes & Dimensions
Product description	Application (Category and Product specific)	Global order reference	Min battery capacity	Length
Graphical Battery Analyser	Professional Battery Analyser	OBAG900	n/a	110.0 mm


Product description	Width	Height	Dimensions & weight	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
Product description	Width	Height	Clamps Cable Length	Candidate list substance 1
Graphical Battery Analyser	90.0 mm	220.0 mm	1.75 m	Lead

Product description	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
Graphical Battery Analyser	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	ccc77e4e-6a46-423e-9603-08dc30a74893

## Product family datasheet

---

### Download Data

File	
	User instruction BATTERYtest PRO

#### Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.\*for precise conditions please refer to:

[www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.