

LEDiving SLT W5W

LEDiving interior lamps for trucks



LED replacement lamp with a color temperature of up to 6,000 K

Modern and intense uniform illumination



Replaces all conventional W5W 24 V lamp bases

Easy upgrade to LED technology with plug & play solution



Reliable OSRAM quality stands for less lamp replacements

4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for W5W

LEDiving SLT W5W replacement lamps offer a modern and intense light with a cool white color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional W5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDiving SLT lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

Product description	Product information			Electrical data			
	Order reference	Product type (off-road vs. on-road)	Application (Category and Product specific)	Power input tolerance	Test voltage	Nominal wattage	Power input
LEDriving PREMIUM SL \triangleq W5W	2845DWP	Off-road \triangleq W5W	Mainly used for signal/ indicator/ interior applications	$\pm 25\%$	28.0 V	0.70 W	0.7 W

Product description	Nominal voltage	Photometrical data				Dimensions & weight	
		Luminous flux	Color temperature	Luminous flux tolerance	Light color LED	Length	Product weight
LEDriving PREMIUM SL \triangleq W5W	24.0 V	65 lm	6000 K	$\pm 25\%$	Cool white	26.8 mm	1.90 g



Product description	Diameter	Lifespan			Capabilities	Environmental information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
		Guarantee	Lifespan Tc	Lifespan B3	Technology	Date of Declaration
LEDriving PREMIUM SL \triangleq W5W	10.1 mm	4 years	3000 h	1500 h	LED	04-04-2024

Product description	Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction
LEDriving PREMIUM SL \triangleq W5W	4008321875648 4008321875990 4052899434219 4052899434233 4052899434189	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Product description	Declaration No. in SCIP database
LEDriving PREMIUM SL \triangleq W5W	9dde112e-87b5-4bcd-9747-1df99d8a8f5b f6501be4-cb8f-4e3b-abb1-f5a1fdfa4baf 9d9da70e-2ccb-467f-aa31-7354af50f022 ac87ed65-a4bf-4b1b-ab5e-93e0ff336cce 0a9d8b2f-1a38-4f79-9467-b27d0c6f3b2a

Product family datasheet

Download Data

File	
	Brochures Sales Folder LEDriving replacement lamps (EN)
	Brochures LEDriving Retrofits - Exchange overview (EN)

Safety advice

Application advice: For more detailed application information and graphics please see product datasheet and user manual.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

